



FOAM CUTTERS & ROUTERS MANUFACTURE



www.megaplot.com

AVAILABLE SERIES

"P 60" SERIES - AFFORDABLE AND RELIABLE SIGN SHOP SOLUTION



- cutting wire lenght: 60 cm
- number of cutting wires: 1
- available options:
 - Turn Table/Lathe
 - ShapeWire Tool

"T" SERIES - VERSATILE AND PERFECT FOR AND DECORATION AND ARCHITECTURE

- cutting wire lenght: 60, 130, 150, 250 or 300 cm

- number of cutting wires: 1 or 2



- available options:

- TurnTable
- Lathe
- ShapeWire Tool
- DoubleWire
- TitaniumWire
- Independent Axis Control
- Pneumatic Wire Tensioning

"MW" SERIES - INDUSTRIAL SOLUTION FOR LARGE SERIES OF IDENTICAL SHAPES



- cutting wire lenght: 130, 150, 250 or 300 cm
- number of cutting wires: 10
- available options:
 - TurnTable
 - Lathe
 - ShapeWire Tool
 - Pneumatic Wire Tensioning

AVAILABLE MODELS

		Machine Width = Hot Wire Length					
		60 cm 2 feet	130 cm 4 feet	150 cm 5 <i>feet</i>	250 cm 8 feet	300 cm 10 <i>feet</i>	
Machine Length	130 cm 4 feet	P 60 Small T 610 Small	T 1300 Small MW 1300 Small	T 1500 Small MW 1500 Small	T 2500 Small MW 2500 Small	T 3000 Small MW 3000 Small	
	250 cm 8 feet	P 60 Medium T 610 Medium	T 1300 Medium MW 1300 Medium	T 1500 Medium MW 1500 Medium	T 2500 Medium MW 2500 Medium	T 3000 Medium MW 3000 Medium	
	305 cm 10 feet	P 60 Large T 610 Large	T 1300 Large MW 1300 Large	T 1500 Large MW 1500 Large	T 2500 Large MW 2500 Large	T 3000 Large MW 3000 Large	





FOAM CUTTERS & ROUTERS MANUFACTURER



www.megaplot.com

SERIES COMPARISON

	P 60 series	T series	MW series		
WYORK AREA	P ou series	1 series	Wi w series		
WORK AREA:		120			
Height:	129 cm 4 feet				
	60 cm	60, 130, 150, 250 or 300 cm	130, 250 or 300 cm		
Width (wire length):	2 feet	2, 4, 5, 8 or 10 feet	4, 8 or 10 feet		
	2 icct	129 cm, 244 cm or 305 c			
Length:	4, 8 or 10 feet				
WIRE & CUTTING:	,, , , , , , , , , , , , , , , , , , , ,				
Number of Cutting Wires:	1	1 or 2	10		
Cutting Wire Type:	NiCr	NiCr or Titanium Alloy*	Titanium Alloy		
Cutting Wire Thickness:	0.15 mm	0.15, 0.25 or 0.45 mm	0.25 or 0.45 mm		
Wire Movement:	stepper motors, belt driven on ball bearing transport wheels				
Wire Tensioning:	automatic, wire tension maintained at all times				
Wire Tensioning Type:	spring	spring or pneumatic*	spring or pneumatic*		
Wire Heating:	instant ON/OFF, wire heats only when moving or turned manually on in FoamShaper				
Maximum Wire Speed:	280 cm/min 300 cm/min 100 cm/min				
Accuracy:	0.5 mm/meter				
Resolution:	0,01 mm				
Repeatability:	0,01 mm/meter				
OPTIONAL EQUIPMENT AVA	,				
TurnTable:	yes	yes	yes		
Lathe:	yes	yes*	yes		
ShapeWire Tool:	yes	yes*	yes		
DoubleWire:	no	yes	no		
Independent Axis Control:	no	yes*	no		
Titanium Alloy Wire:	no	yes*	yes		
Pneumatic Wire Tensioning:	no	yes*	yes*		
GENERAL INFO:	110	y CS	yes		
Machine construction:	CIIS	tom-made anodized aluminum ext	rusion profiles		
Accessibility:	full access from all four sides				
· ·	110 or 220 Volt	110 or 220 Volt	220 Volt		
Power requirements:	50 or 60 Hz	50 or 60 Hz	50 or 60 Hz		
	20 01 00 112	Temperature: 32°F - 104°F or (
Operating Environment:	Humidity: 95%				
Computer operating system:	Windows 98 or later (including XP)				
Computer power required:	Pentium class PC with a free serial port (USB for selected models)				
Controlling software:	FoamShaper, comes free of charge with all foam cutters, free upgrades				
Design software:	All software exporting HPGL.plt or dxf files (i.e. CorelDraw, AutoCAD and similar)				
Warranty:	5 years, covers all electronics and mechanics, freight cost excluded				
	foam cutter, electronic controller, FoamShaper software, a roll of wire, operational and assembly				
Basic Package includes:	manuals, 5-year warranty, year-round technical support (e-mail and phone)				
Basic Package excludes:	PC, graphics software (e.g. CorelDraw), optional equipment listed above				

 $[\]ast$ selected models only







www.megaplot.com

"P 60" SERIES = 1 CUTTING WIRE

AFFORDABLE AND RELIABLE SIGN SHOP SOLUTION



- cutting wire lenght: 60 cm - number of cutting wires: 1
- available options:
 - TurnTable/Lathe
 - ShapeWire Tool

This is an inexpensive and very popular series, perfect for start-up sign shops and other small businesses from the advertising business. Comes in three different lengths and can be equipped in TurnTable/Lathe as well as ShapeWire Tool.

Main features:

- simple, inexpensive but fully versatile
- small, but big enough for any kind of lettering, logos, columns, etc.
- extremely easy to self-assemble
- cutting wire: 610 mm - height: 1220 mm
- length: 1220 mm, 2440 mm or 3050 mm
- available options (Lathe/TurnTable & ShapeWire Tool)
- packed in one box (cheap freight)
- comes complete with the electronic controller & FoamShaper



- 1. cutting frame
- 2. wire/fan housings
- 3. lathe
- 4. lathe tailstock


P 60 models will cut anything small T series cutters can cut!

Cutting Frame

Instead of two separate trolleys, this frame comes in one piece (top, bottom and both sides). It makes the assembly a piece of cake.

Lathe |

The Lathe can be easily re-installed to where the blue arrow points and will then act as a fully functional **TurnTable**.



Introductory Package includes:

- the P 60 foam cutter
- the electronic controller
- FoamShaper software*
- 5-year warranty**
- a roll of resistant wire (100 grams)
- operational and assembly manuals
- year-round technical support (e-mail and phone)

Introductory Package does note include:

- PC necessary to operate the machine
- design graphics software (recommended: CorelDraw)
- paid options (TurnTable, Lathe, etc.)
- freight to your country
- * free upgrades included
- ** warranty: the 5-year warranty covers both electronics and mechanics. Freight cost excluded.







www.megaplot.com

"T" SERIES = 1 OR 2 CUTTING WIRES

VERSATILE AND PERFECT FOR AND DECORATION AND ARCHITECTURE



- cutting wire lenght: 60, 130, 150, 250 or 300 cm
- number of cutting wires: 1 or 2

- available options:

- TurnTable
- Lathe
- ShapeWire Tool
- DoubleWire
- TitaniumWire
- Independent Axis Control
- Pneumatic Wire Tensioning

This is a very popular series among our customers due to a wide variety of available sizes and optional equipment. All the T series cutters can be equipped in the DoubleWire feature (two cutting wires) and the majority of them can come with a TurnTable, Lathe, ShapeWire Tool, Independent Axis Control and many other features which turn your cutter into a truly versatile one. While custommade machines are of course available, the wide choice standard sizes in the T series satisfies the majority of our customers.



T 1300 Medium with TurnTable, Lathe and DoubleWire



- 1. front trolley (top)
- 2. front trolley (bottom)
- 3. back wire/fan housing 4. front wire/fan housing
- 6. lathe tailstock
- 7. turntable

Introductory Package includes:

- the foam cutter
- the electronic controller
- FoamShaper software*
- 5-year warranty**
- a roll of resistant wire (100 grams)
- operational and assembly manuals
- year-round technical support (e-mail and phone)

Introductory Package does note include:

- PC necessary to operate the machine
- design graphics software (recommended: CorelDraw)-
- paid options (TurnTable, Lathe, etc.)
- freight to your country
- * free upgrades included
- ** warranty: the 5-year warranty covers both electronics and mechanics.





OAM CUTTERS & ROUTERS MANUFACTURER



www.megaplot.com


"MW" SERIES = 10 CUTTING WIRES

INDUSTRIAL SOLUTION FOR LARGE SERIES OF IDENTICAL SHAPES



- cutting wire lenght: 130, 150, 250 or 300 cm
- number of cutting wires: 10
- available options:
 - TurnTable
 - Lathe
 - ShapeWire Tool
 - Pneumatic Wire Tensioning

This is a truly industrial series with up to ten wires cutting simultaneously the very same shape. Imagine the time and money you can save by having e.g. ten cornices cut at the same time. Depending on your needs, the wire length available varies from 130 cm to 300 cm. Pneumatic wire tensioning is available in the MW 2500 series as a paid option and comes standard for the MW 3000 series. To achieve best performance possible, all the MW models come standard with the TitaniumWire (great cutting quality and speed as well as wire durability). Optionally, all these cutters can be equipped in TurnTable, Lathe or ShapeWire Tool.



- 1. front trolley
- 2. back trolley
- 3. lathe
- 4. lathe tailstock
- 5. turntable
- 6. cable chain



MW 2500 Medium with TurnTable and Lathe

Introductory Package includes:

- the foam cutter
- the electronic controller
- FoamShaper software*
- 5-year warranty**
- a roll of Titanium Alloy wire (100 grams)
- operational and assembly manuals
- year-round technical support (e-mail and phone)

Introductory Package does note include:

- PC necessary to operate the machine
- design graphics software (recommended: CorelDraw) -
- paid options (TurnTable, Lathe, etc.)
- freight to your country

^{*} free upgrades included

^{**} warranty: the 5-year warranty covers both electronics and mechanics. Freight cost excluded.